


iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



SANIBEL™ Classic™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Classic™ Arched Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard Lokk-Latch® and aluminum hinges are included with each Classic™ Arched Walkway gate. Upgrades are available.


SPECIFICATIONS

RESIDENTIAL GRADE


Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	5/8" x 5/8" x .055 Wall 3 ¹³ / ₁₆ " 1 ⁵ / ₈ " Available
Heights Available	Up to 6'
Widths Available	Up to 6'

All Specifications Are Nominal





iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



SAN MARINO™ Classic™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Classic™ Arched Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard LOKK-LATCH® and aluminum hinges are included with each Classic™ Arched Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3 ¹³ / ₁₆ " 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'


All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



VENTURA™ Classic™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Classic™ Arched Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard LOKK-LATCH® and aluminum hinges are included with each Classic™ Arched Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3⅓/16" 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'


All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



NEW ORLEANS™ Classic™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Classic™ Arched Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard Lokk-Latch® and aluminum hinges are included with each Classic™ Arched Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3 ¹³ / ₁₆ " 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'

All Specifications Are Nominal




© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



BELLA VISTA™ Classic™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Classic™ Arched Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard LOKK-LATCH® and aluminum hinges are included with each Classic™ Arched Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1½" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	5⁄8" x 5⁄8" x .055 Wall 3¹³⁄₁₆" 1⁵⁄₈" Available
Heights Available	Up to 6'
Widths Available	Up to 6'


All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



BOCA GRANDE™

Classic™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Classic™ Arched Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE


Standard Lokk-Latch® and aluminum hinges are included with each Classic™ Arched Walkway gate. Upgrades are available.

SPECIFICATIONS

RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3 ¹³ / ₁₆ " 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'


All Specifications Are Nominal



INTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



NAPA VALLEY™ Classic™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Classic™ Arched Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard Lokk-Latch® and aluminum hinges are included with each Classic™ Arched Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3 ¹³ / ₁₆ " 1 ⁵ / ₈ " Available
Heights Available	Up to 6'
Widths Available	Up to 6'


All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



INTEGRITYTM
ALUMINUM PRODUCTS
800.762.8876



BELLA TERRATM

ClassicTM Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This ClassicTM Arched Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard LOKK-LATCH[®] and aluminum hinges are included with each ClassicTM Arched Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1½" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	5/8" x 5/8" x .055 Wall 3 ¹³ / ₁₆ " 1 ⁵ / ₈ " Available
Heights Available	Up to 6'
Widths Available	Up to 6'


All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



CHARLEMAGNE™

Classic™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Classic™ Arched Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard LOKK-LATCH® and aluminum hinges are included with each Classic™ Arched Walkway gate. Upgrades are available.


SPECIFICATIONS

RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3 ¹³ / ₁₆ " 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'

All Specifications Are Nominal






iNTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



PROVIDENCE™ Classic™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Classic™ Arched Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard LOKK-LATCH® and aluminum hinges are included with each Classic™ Arched Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3 ¹³ / ₁₆ " 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'


All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



INTEGRITY™
ALUMINUM PRODUCTS
800.762.8876



CAMELOT™ Classic™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Classic™ Arched Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard Lokk-Latch® and aluminum hinges are included with each Classic™ Arched Walkway gate. Upgrades are available.


SPECIFICATIONS

RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1½" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	5/8" x 5/8" x .055 Wall 3 ¹³ / ₁₆ " 1 ⁵ / ₈ " Available
Heights Available	Up to 6'
Widths Available	Up to 6'
All Specifications Are Nominal	




© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



INTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



CAMARILLO™

Classic™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Classic™ Arched Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard LOKK-LATCH® and aluminum hinges are included with each Classic™ Arched Walkway gate. Upgrades are available.


SPECIFICATIONS

RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3 ¹³ / ₁₆ " 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'

All Specifications Are Nominal






INTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



AMARILLO™ Classic™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Classic™ Arched Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard Lokk-Latch® and aluminum hinges are included with each Classic™ Arched Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1½" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	5/8" x 5/8" x .055 Wall 3 ¹³ / ₁₆ " 1 ⁵ / ₈ " Available
Heights Available	Up to 6'
Widths Available	Up to 6'

All Specifications Are Nominal




© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



INTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



VALENCIA™ Classic™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Classic™ Arched Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard Lokk-Latch® and aluminum hinges are included with each Classic™ Arched Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3 ¹³ / ₁₆ " 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'

All Specifications Are Nominal




© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



INTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



MISSION POINT™ Classic™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Classic™ Arched Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard LOKK-LATCH® and aluminum hinges are included with each Classic™ Arched Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3 ¹³ / ₁₆ " 1 ⁵ / ₈ " Available
Heights Available	Up to 6'
Widths Available	Up to 6'

All Specifications Are Nominal




© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



INTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



CASTILE™ Classic™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Classic™ Arched Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard Lokk-Latch® and aluminum hinges are included with each Classic™ Arched Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3 ¹³ / ₁₆ " 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'

All Specifications Are Nominal




© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



INTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



EXCELSIOR™ Classic™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Classic™ Arched Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard Lokk-Latch® and aluminum hinges are included with each Classic™ Arched Walkway gate. Upgrades are available.

SPECIFICATIONS

RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3 ¹³ / ₁₆ " 1 ⁵ / ₈ " Available
Heights Available	Up to 6'
Widths Available	Up to 6'

All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com