


iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



SANIBEL™ Premier™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Premier™ Arched Walkway Gate can be constructed as a double-leaf gate up to 16' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Gate latch and hinges sold separately and may vary depending on size of gate and posts. Suggestions provided.

SPECIFICATIONS


PREMIER GRADE

Posts Available	2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall 3" x 3" x .125 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅜" x 1¼" .088" .065"
Vertical Pickets Standard Spacing Extreme Spacing	¾" x ¾" x .055 Wall 3⅝" 1½" Available
Heights Available	Up to 6'
Widths Available	Up to 8'


All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



SAN MARINO™ Premier™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Premier™ Arched Walkway Gate can be constructed as a double-leaf gate up to 16' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Gate latch and hinges sold separately and may vary depending on size of gate and posts. Suggestions provided.


SPECIFICATIONS

PREMIER GRADE


Posts Available	2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall 3" x 3" x .125 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅜" x 1¼" .088" .065"
Vertical Pickets Standard Spacing Extreme Spacing	¾" x ¾" x .055 Wall 3⅝" 1½" Available
Heights Available	Up to 6'
Widths Available	Up to 8'

All Specifications Are Nominal





iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



VENTURA™ Premier™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Premier™ Arched Walkway Gate can be constructed as a double-leaf gate up to 16' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Gate latch and hinges sold separately and may vary depending on size of gate and posts. Suggestions provided.

SPECIFICATIONS


PREMIER GRADE

Posts Available	2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall 3" x 3" x .125 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅜" x 1¼" .088" .065"
Vertical Pickets Standard Spacing Extreme Spacing	¾" x ¾" x .055 Wall 3⅝" 1½" Available
Heights Available	Up to 6'
Widths Available	Up to 8'


All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



NEW ORLEANS™ Premier™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Premier™ Arched Walkway Gate can be constructed as a double-leaf gate up to 16' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Gate latch and hinges sold separately and may vary depending on size of gate and posts. Suggestions provided.

SPECIFICATIONS


PREMIER GRADE

Posts Available	2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall 3" x 3" x .125 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅜" x 1¼" .088" .065"
Vertical Pickets Standard Spacing Extreme Spacing	¾" x ¾" x .055 Wall 3⅝" 1½" Available
Heights Available	Up to 6'
Widths Available	Up to 8'


All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



BELLA VISTA™ Premier™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Premier™ Arched Walkway Gate can be constructed as a double-leaf gate up to 16' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Gate latch and hinges sold separately and may vary depending on size of gate and posts. Suggestions provided.


SPECIFICATIONS

PREMIER GRADE


Posts Available	2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall 3" x 3" x .125 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅜" x 1¼" .088" .065"
Vertical Pickets Standard Spacing Extreme Spacing	¾" x ¾" x .055 Wall 3⅝" 1½" Available
Heights Available	Up to 6'
Widths Available	Up to 8'
All Specifications Are Nominal	



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



BOCA GRANDE™ Premier™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Premier™ Arched Walkway Gate can be constructed as a double-leaf gate up to 16' in width. An optional U-frame or Mid-rail is also available.

HARDWARE


Gate latch and hinges sold separately and may vary depending on size of gate and posts. Suggestions provided.

SPECIFICATIONS

PREMIER GRADE

Posts Available	2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall 3" x 3" x .125 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅜" x 1¼" .088" .065"
Vertical Pickets Standard Spacing Extreme Spacing	¾" x ¾" x .055 Wall 3⅝" 1½" Available
Heights Available	Up to 6'
Widths Available	Up to 8'


All Specifications Are Nominal



INTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



NAPA VALLEY™ Premier™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Premier™ Arched Walkway Gate can be constructed as a double-leaf gate up to 16' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Gate latch and hinges sold separately and may vary depending on size of gate and posts. Suggestions provided.


SPECIFICATIONS

PREMIER GRADE


Posts Available	2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall 3" x 3" x .125 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅜" x 1¼" .088" .065"
Vertical Pickets Standard Spacing Extreme Spacing	¾" x ¾" x .055 Wall 3⅝" 1½" Available
Heights Available	Up to 6'
Widths Available	Up to 8'
All Specifications Are Nominal	



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITYTM
 ALUMINUM PRODUCTS
 800.762.8876



BELLA TERRATM PremierTM Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This PremierTM Arched Walkway Gate can be constructed as a double-leaf gate up to 16' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Gate latch and hinges sold separately and may vary depending on size of gate and posts. Suggestions provided.

SPECIFICATIONS


PREMIER GRADE

Posts Available	2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall 3" x 3" x .125 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1 ³ / ₈ " x 1 ¹ / ₄ " .088" .065"
Vertical Pickets Standard Spacing Extreme Spacing	¾" x ¾" x .055 Wall 3 ⁵ / ₈ " 1½" Available
Heights Available	Up to 6'
Widths Available	Up to 8'


All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



INTEGRITY™
ALUMINUM PRODUCTS
800.762.8876



CHARLEMAGNE™ Premier™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Premier™ Arched Walkway Gate can be constructed as a double-leaf gate up to 16' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Gate latch and hinges sold separately and may vary depending on size of gate and posts. Suggestions provided.


SPECIFICATIONS

PREMIER GRADE

Posts Available	2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall 3" x 3" x .125 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1 ³ / ₈ " x 1¼" .088" .065"
Vertical Pickets Standard Spacing Extreme Spacing	¾" x ¾" x .055 Wall 3 ⁵ / ₈ " 1½" Available
Heights Available	Up to 6'
Widths Available	Up to 8'
All Specifications Are Nominal	




© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



PROVIDENCE™ Premier™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Premier™ Arched Walkway Gate can be constructed as a double-leaf gate up to 16' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Gate latch and hinges sold separately and may vary depending on size of gate and posts. Suggestions provided.


SPECIFICATIONS

PREMIER GRADE


Posts Available	2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall 3" x 3" x .125 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅜" x 1¼" .088" .065"
Vertical Pickets Standard Spacing Extreme Spacing	¾" x ¾" x .055 Wall 3⅝" 1½" Available
Heights Available	Up to 6'
Widths Available	Up to 8'
All Specifications Are Nominal	



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITY™
ALUMINUM PRODUCTS
800.762.8876



CAMELOT™ Premier™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Premier™ Arched Walkway Gate can be constructed as a double-leaf gate up to 16' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Gate latch and hinges sold separately and may vary depending on size of gate and posts. Suggestions provided.


SPECIFICATIONS

PREMIER GRADE

Posts Available	2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall 3" x 3" x .125 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅜" x 1¼" .088" .065"
Vertical Pickets Standard Spacing Extreme Spacing	¾" x ¾" x .055 Wall 3⅝" 1½" Available
Heights Available	Up to 6'
Widths Available	Up to 8'
All Specifications Are Nominal	




© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



INTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



CAMARILLO™ Premier™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Premier™ Arched Walkway Gate can be constructed as a double-leaf gate up to 16' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Gate latch and hinges sold separately and may vary depending on size of gate and posts. Suggestions provided.

SPECIFICATIONS


PREMIER GRADE

Posts Available	2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall 3" x 3" x .125 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅜" x 1¼" .088" .065"
Vertical Pickets Standard Spacing Extreme Spacing	¾" x ¾" x .055 Wall 3⅝" 1½" Available
Heights Available	Up to 6'
Widths Available	Up to 8'

All Specifications Are Nominal




© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



INTEGRITYTM

ALUMINUM PRODUCTS

800.762.8876



AMARILLOTM PremierTM Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This PremierTM Arched Walkway Gate can be constructed as a double-leaf gate up to 16' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Gate latch and hinges sold separately and may vary depending on size of gate and posts. Suggestions provided.

SPECIFICATIONS


PREMIER GRADE

Posts Available	2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall 3" x 3" x .125 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅜" x 1¼" .088" .065"
Vertical Pickets Standard Spacing Extreme Spacing	¾" x ¾" x .055 Wall 3⅝" 1½" Available
Heights Available	Up to 6'
Widths Available	Up to 8'

All Specifications Are Nominal




© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



INTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



VALENCIA™ Premier™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Premier™ Arched Walkway Gate can be constructed as a double-leaf gate up to 16' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Gate latch and hinges sold separately and may vary depending on size of gate and posts. Suggestions provided.

SPECIFICATIONS


PREMIER GRADE

Posts Available	2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall 3" x 3" x .125 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅜" x 1¼" .088" .065"
Vertical Pickets Standard Spacing Extreme Spacing	¾" x ¾" x .055 Wall 3⅝" 1½" Available
Heights Available	Up to 6'
Widths Available	Up to 8'


All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



INTEGRITY™
ALUMINUM PRODUCTS
800.762.8876



MISSION POINT™ Premier™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Premier™ Arched Walkway Gate can be constructed as a double-leaf gate up to 16' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Gate latch and hinges sold separately and may vary depending on size of gate and posts. Suggestions provided.

SPECIFICATIONS


PREMIER GRADE

Posts Available	2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall 3" x 3" x .125 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1 ³ / ₈ " x 1¼" .088" .065"
Vertical Pickets Standard Spacing Extreme Spacing	¾" x ¾" x .055 Wall 3 ⁵ / ₈ " 1½" Available
Heights Available	Up to 6'
Widths Available	Up to 8'

All Specifications Are Nominal




© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



INTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



CASTILE™

Premier™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Premier™ Arched Walkway Gate can be constructed as a double-leaf gate up to 16' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Gate latch and hinges sold separately and may vary depending on size of gate and posts. Suggestions provided.

SPECIFICATIONS


PREMIER GRADE

Posts Available	2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall 3" x 3" x .125 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅜" x 1¼" .088" .065"
Vertical Pickets Standard Spacing Extreme Spacing	¾" x ¾" x .055 Wall 3⅝" 1½" Available
Heights Available	Up to 6'
Widths Available	Up to 8'

All Specifications Are Nominal




© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



EXCELSIOR™

Premier™ Arched Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Premier™ Arched Walkway Gate can be constructed as a double-leaf gate up to 16' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Gate latch and hinges sold separately and may vary depending on size of gate and posts. Suggestions provided.

SPECIFICATIONS

PREMIER GRADE

Posts Available	2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall 3" x 3" x .125 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅜" x 1¼" .088" .065"
Vertical Pickets Standard Spacing Extreme Spacing	¾" x ¾" x .055 Wall 3⅝" 1½" Available
Heights Available	Up to 6'
Widths Available	Up to 8'

All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com