


iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



SANIBEL™ Resort™ Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Resort™ Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard LOKK-LATCH® and aluminum hinges are included with each Resort™ Walkway gate. Upgrades are available.


SPECIFICATIONS

RESIDENTIAL GRADE


Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3 ¹³ / ₁₆ " 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'

All Specifications Are Nominal





iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



SAN MARINO™ Resort™ Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Resort™ Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard Lokk-Latch® and aluminum hinges are included with each Resort™ Walkway gate. Upgrades are available.


SPECIFICATIONS

RESIDENTIAL GRADE


Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	5/8" x 5/8" x .055 Wall 3⅓/16" 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'

All Specifications Are Nominal





iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



VENTURA™ Resort™ Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Resort™ Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard Lokk-Latch® and aluminum hinges are included with each Resort™ Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	5⁄8" x 5⁄8" x .055 Wall 3¹³⁄₁₆" 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'


All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



NEW ORLEANS™ Resort™ Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Resort™ Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard Lokk-Latch® and aluminum hinges are included with each Resort™ Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	5⁄8" x 5⁄8" x .055 Wall 3¹³⁄₁₆" 1⁵⁄₈" Available
Heights Available	Up to 6'
Widths Available	Up to 6'


All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



BELLA VISTA™ Resort™ Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Resort™ Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard LOKK-LATCH® and aluminum hinges are included with each Resort™ Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3⅓/16" 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'


All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



BOCA GRANDE™ Resort™ Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Resort™ Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard Lokk-Latch® and aluminum hinges are included with each Resort™ Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3⅓/16" 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'

All Specifications Are Nominal




© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



NAPA VALLEY™ Resort™ Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Resort™ Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard Lokk-Latch® and aluminum hinges are included with each Resort™ Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	5/8" x 5/8" x .055 Wall 3 ¹³ / ₁₆ " 1 ⁵ / ₈ " Available
Heights Available	Up to 6'
Widths Available	Up to 6'


All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



BELLA TERRA™ Resort™ Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Resort™ Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard Lokk-Latch® and aluminum hinges are included with each Resort™ Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	5⁄8" x 5⁄8" x .055 Wall 3¹³⁄₁₆" 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'


All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



INTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



CHARLEMAGNE™ Resort™ Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Resort™ Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard LOKK-LATCH® and aluminum hinges are included with each Resort™ Walkway gate. Upgrades are available.


SPECIFICATIONS

RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3⅓/16" 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'

All Specifications Are Nominal






iNTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



PROVIDENCE™ Resort™ Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Resort™ Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard LOKK-LATCH® and aluminum hinges are included with each Resort™ Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1½" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	5/8" x 5/8" x .055 Wall 3 13/16" 1 5/8" Available
Heights Available	Up to 6'
Widths Available	Up to 6'


All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



CAMELOT™ Resort™ Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Resort™ Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard Lokk-Latch® and aluminum hinges are included with each Resort™ Walkway gate. Upgrades are available.


SPECIFICATIONS

RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	5⁄8" x 5⁄8" x .055 Wall 3¹³⁄₁₆" 1⁵⁄₈" Available
Heights Available	Up to 6'
Widths Available	Up to 6'

All Specifications Are Nominal






INTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



CAMARILLO™ Resort™ Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Resort™ Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard Lokk-Latch® and aluminum hinges are included with each Resort™ Walkway gate. Upgrades are available.


SPECIFICATIONS

RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3⅓/16" 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'

All Specifications Are Nominal






INTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



AMARILLO™ Resort™ Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Resort™ Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard LOKK-LATCH® and aluminum hinges are included with each Resort™ Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3⅓/16" 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'

All Specifications Are Nominal




© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



INTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



VALENCIA™ Resort™ Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Resort™ Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard Lokk-Latch® and aluminum hinges are included with each Resort™ Walkway gate. Upgrades are available.

SPECIFICATIONS


RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3⅓/16" 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'


All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com



iNTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



MISSION POINT™ Resort™ Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Resort™ Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard LOKK-LATCH® and aluminum hinges are included with each Resort™ Walkway gate. Upgrades are available.


SPECIFICATIONS

RESIDENTIAL GRADE


Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1½" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	5/8" x 5/8" x .055 Wall 3 13/16" 1 5/8" Available
Heights Available	Up to 6'
Widths Available	Up to 6'

All Specifications Are Nominal





INTEGRITY™
 ALUMINUM PRODUCTS
 800.762.8876



CASTILE™ Resort™ Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Resort™ Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard Lokk-Latch® and aluminum hinges are included with each Resort™ Walkway gate. Upgrades are available.


SPECIFICATIONS

RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3⅓/16" 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'

All Specifications Are Nominal






INTEGRITY™

ALUMINUM PRODUCTS

800.762.8876



EXCELSIOR™ Resort™ Walkway Gate

DIMENSIONS

The height and width dimensions for this gate are available in standardized one-foot increments but can be customized to meet unique requirements.

CONFIGURATION

This Resort™ Walkway Gate can be constructed as a double-leaf gate up to 12' in width. An optional U-frame or Mid-rail is also available.

HARDWARE

Standard LOKK-LATCH® and aluminum hinges are included with each Resort™ Walkway gate. Upgrades are available.

SPECIFICATIONS

RESIDENTIAL GRADE

Posts Available	2" x 2" x .060 Wall 2" x 2" x .080 Wall 2" x 2" x .125 Wall 2½" x 2½" x .100 Wall
Gate Frame Uprights	2" x 2" x .080 Wall
Horizontal Rails Side Walls Top Walls	1⅛" x 1" .082" .062"
Vertical Pickets Standard Spacing Extreme Spacing	⅝" x ⅝" x .055 Wall 3⅓/16" 1⅝" Available
Heights Available	Up to 6'
Widths Available	Up to 6'

All Specifications Are Nominal



© 2009 Integrity Aluminum Products. Above schematic is intended as a representation only and is not to scale. www.integrityaluminumproducts.com